

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

50
DEC. 24. 2003 9:20AM

JCWSCS 29 DEC 2003

NO. 7612 P. 1

Varian, Inc.
3120 Hansen Way, M/S D-102
Palo Alto, CA 94304-1030 U.S.A.

To Office of Initial Patent Examination
Filing Receipt Corrections

Company UNITED STATES PATENT AND TRADEMARK OFFICE

Fax number 1.703.746.9195

From Bella Fishman

Date December 24, 2003

Subject US Patent Application No. 10/672,611
Filing Date: September 26, 2003
Our Docket No. 99-14 US

Phone: 650.424.5086
Fax: 650.424.3827

bella.fishman@varianinc.com
www.varianinc.com



VARIAN

Pages (including this sheet) 3

I, Debbie Kus, hereby certify that on December 24 2003 this correspondence is being transmitted by facsimile to the Office of Initial Patent Examination Filing Receipt Corrections at 1.703.746.9195 the US Patent and Trademark Office.

Signature

Debbie Kus

12/24/03
Date Signed

Please see the attached Request for Corrected Filing Receipt.

This fax transmission may be confidential and subject to attorney-client, attorney work product and/or other legal privileges. If you are not the intended recipient or the person responsible for delivery to the intended recipient, you may not read, use, copy or distribute this fax transmission. If you received this fax transmission in error, please immediately notify by telephone the person who sent it, and return to that person by mail the original transmission and any copies thereof.

If you have any problems receiving this fax transmission, please call (650) 424-4814.

fax

Docket N .: 99-14 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Paul A. Keifer

Serial No.: 10/672,611

Filed: September 26, 2003

Title: TEMPERATURE CONTROLLED
SAMPLE CHANGER FOR NMR
ANALYSIS

Examiner: Not Assigned

Art Unit: 1348

I, Debbie Kus, hereby certify that on December 24, 2003, this
correspondence is being transmitted by facsimile to the Office of Initial
Patent Examination Filing Receipt Corrections, at 1.703.746.9195.

Signature

Date Signed

Office of Initial Patent Examination
Filing Receipt Corrections**REQUEST FOR CORRECTED FILING RECEIPT**

Sir:

Applicant hereby requests that a corrected Filing Receipt be issued for the above-identified patent application.

The official Filing Receipt received by the Applicant, a copy of which is attached hereto, needs to be corrected as follows:

Please change the Title from "Temperature controlled sample change for NMR analysis"
to - - Temperature controlled sample changer for NMR analysis - -.

Applicant additionally requests that all pertinent Patent and Trademark Office records relating to the subject application be changed to reflect the correction indicated above.

Should any fee be required, please charge these fees to our Deposit Account No. 50-0895.

Respectfully submitted,

Bella Fishman
Agent for Applicant
Registration No. 37,485Date: December 24, 2003Varian, Inc.
3120 Hansen Way
Legal Department, D-102
Palo Alto, CA 94304
(650) 424-5086

\\share.nmr.varianinc.com\VISHARE\legal\user\debbie\patentfiles\99dockets\99-14\99-14 correction(filing receipt).doc



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22310-1450
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/672,611	09/26/2003	2862	750	99-14 US	2	16	3

23693
Varian Inc.
Legal Department
3120 Hansen Way D-102
Palo Alto, CA 94304

RECEIVED
DEC 23 2003

LEGAL DEPARTMENT

CONFIRMATION NO. 3706

FILING RECEIPT



OC000000011528337

Date Mailed: 12/18/2003

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Paul A. Keifer, Omaha, NE;

Domestic Priority data as claimed by applicant

Foreign Applications

If Required, Foreign Filing License Granted: 12/18/2003

Projected Publication Date: 03/31/2005

Non-Publication Request: No

Early Publication Request: No

Title

~~CHANGER~~
Temperature controlled sample change for NMR analysis

Pr liminary Class

324